

Fig. 1. Physical parameters of *yggX* and its gene product. (*A*) Alignment of YggX homologs. (*B*) Operon structure of *mutY/yggX* in *E. coli* and *S. enterica* LT2. Promoters were mapped by Gifford and Wallace in *E. coli* (43).

H3


Bpertussis 1 MSRIVNCVKLKREAEGLDFPPYPGELGTRIWQQISKEAWEEWKQIQTRLVNENRLNLADA
Bparapert 1 MSRIVNCVKLKREAEGLDFPPYPGELGTRIWQQISKEAWEEWKQIQTRLVNENRLNLADA
Bbronchi 1 MSRIVNCVKLKREAEGLDFPPYPGELGTRIWQQISKEAWEEWKQIQTRLVNENRLNLADA
A.actin 1 MARMVFCERLKQEAEGLDFQLYPGELGKRIFDSISKQAWGEWMKKQTMLVNEKKLNMMNA
Pmultocida 1 MARTVFCEYLKQESEGLDFQLYPGELGKRIFDSISKQAWREWMKKQTMLVNEKKLNMMNA
Hinfluenzae 1 MARTVFCEYLKKEAEGLDFQLYPGELGKRIFDSVSKQAWGEWIKKQTMLVNEKKLNMMNA
Hducreyi 1 MARMVFCEYLKKEAEGLDFQLYPGELGKRIFNSISKQAWAEWIKKQTMLVNEKKLNMMNP
Sputrefasciens 1 MARTVNCVHLNKEADGLDFQLYPGDLGKRIFDNISKEAWGLWQKKQTMLINEKKLNMMNV
Vcholerae 1 MARTVFCTRLQKEADGLDFQLYPGELGKRIFDNICKEAWAQWQTKQTMLINEKKLNMMDP
Ecoli 1 MSRTIFCTFLQREAEGQDFQLYPGELGKRIYNEISKEAWAQWQHKQTMLINEKKLNMMNA
O157_H7EDL933 1 MSRTIFCTFLQREAEGQDFQLYPGELGKRIYNEISKEAWAQWQHKQTMLINEKKLNMMNA
O157_H7 1 MSRTIFCTFLQREAEGQDFQLYPGELGKRIYNEISKEAWAQWQHKQTMLINEKKLNMMNA
Spara 1 MSRTIFCTYLQRDAEGQDFQLYPGELGKRIYNEISKDAWAQWQHKQTMLINEKKLNMMNA
Senteritidis 1 MSRTIFCTYLQRDAEGQDFQLYPGELGKRIYNEISKDAWAQWQHKQTMLINEKKLNMMNA
Sdublin 1 MSRTIFCTYLQRDAEGQDFQLYPGELGKRIYNEISKDAWAQWQHKQTMLINEKKLNMMNA
StyphiCT18 1 MSRTIFCTYLQRDAEGQDFQLYPGELGKRIYNEISKDAWAQWQHKQTMLINEKKLNMMNA
Styphimurium 1 MSRTIFCTYLQRDAEGQDFQLYPGELGKRIYNEISKDAWAQWQHKQTMLINEKKLNMMNA
Kpneumo 1 MSRTIFCTFLQREADGQDFQLYPGELGKRIYNEISKEAWAQWQHKQTMLINEKKLSMMNP
Ypesits 1 MSRTIFCTFLKKDAERQDFQLYPGEIGKRIYNEISKEAWSQWITKQTMLINEKKLSMMNI
Buchnera 1 MNRIIFCTFFKKKSEGQDFQSYPGKLGKKIYDQISKKAWEKWIEKQTILINEENLNMFNL
Xfastidiosa 1 MQRIIFCEYEQRDTEGLDFVPYPGELGQKIFACIGKVGWAAWLVHQTMLINENRLSPRNP
Psyring 1 MTRTVMCRKYKEELPGLERAPYPGAKGEDIFNHVSQKAWADWQKHQTLLINERRLNMMNA
Pputida 1 MTRTVMCRKYQEELPGLERPPYPGAKGQDIFEHISQKAWADWQKHQTMLINEKRLNMMNA
Paeruginosa 1 MSRTVMCRKYHEELPGLDRPPYPGAKGEDIYNNVSRKAWDEWQKHQTMLINERRLNMMNA
Ngonorrhoeae 1 MARMVFCVKLNKEAEGMKFPPLPNELGKRIFENVSQEAWAAWTRHQTMLINENRLSLADP
NmeningitB 1 MARMVFCVKLNKEAEGMKFPPLPNELGKRIFENVSQEAWAAWTRHQTMLINENRLSLADP
NmeningitA 1 MARMVFCVKLNKEAEGMKFPPLPNELGKRIFENVSQEAWAAWTRHQTMLINENRLSLADP
Bmallei 1 MARMIHCAKLGKEAEGLDFPPLPGELGKRLYESVSKQAWQDWLKQQTMLINENRLNMADP
Bpseudomallei 1 MARMIHCAKLGKEAEGLDFPPLPGELGKRLYESVSKQAWQDWLKQQTMLINENRLNMADP
Tferrooxidans 1 MSRMVQCVKLGHEAEGLDRPPYPGALGARIYQEVSKEAWQGWLKHQTMLINEYRLSPIDP
Mcapsulatus 1 MARRIICAKLGIEADGLDAPPFPGPQGQRIFEHVSKEAWQDWLKLQTMLINEHRLTPFEA
Cburneti 1 MTRRIICQKLGKEADALNYSPYPGELGERIYNHISEQAWQAWLSHQTMLINEYRLSLIDP

Fig. 1A

```
Bpertussis          61 RARKYLQQQMERFLFEDGTVEAQGYVP----
Bparapert           61 RARKYLQQQMERFLFEDGTVEAQGYVP----
Bbronchi            61 RARKYLQQQMERFLFEDGTVEAQGVP-----
A.actin             61 EHRKLLEQEMVNFLFEGKDVHIEGYTPPEAK
Pmultocida          61 DHRQLLEQEMVNFLFEGKDVHIEGYVP----
Hinfluenzae         61 EHRKLLEQEMVNFLFEGKDVHIEGYVP----
Hducreyi            61 EHRQLLEAEMVNFLFEGKDVHIDGYVP----
Sputrefasciens      61 DDRKFLEAQMTSFLFEGKDVEIEGFVPE---
Vcholerae           61 EHRKLLEQEMVNFLFEGKEVHIEGYTPPAK-
Ecoli               61 EHRKLLEQEMVNFLFEGKEVHIEGYTPEDKK
O157_H7EDL933       61 EHRKLLEQEMVNFLFEGKEVHIEGYTPEDKK
O157_H7             61 EHRKLLEQEMVNFLFEGKEVHIEGYTPEDKK
Spara               61 EHRKLLEQEMVSFLFEGKDVHIEGYTPEDKK
Senteritidis        61 EHRKLLEQEMVSFLFEGKDVHIEGYTPE---
Sdublin             61 EHRKLLEQEMVSFLFEGKDVHIEGYTPEDKK
StyphiCT18          61 EHRKLLEQEMVSFLFEGKDVHIEGYTPEDKK
Styphimurium        61 EHRKLLEQEMVSFLFEGKDVHIEGYPTEDKK
Kpneumo             61 EHRKLLEQEMVQFLFEGK------------
Ypesits             61 EDRKLLEQEMVNFLFEGQDVHIAGYTPPSK-
Buchnera            61 EHRKKIEKYMKLFLFK--------------
Xfastidiosa         61 SHRAFLEEELNKFLFERRVAKPEGYIEPD--
Psyring             61 EDRKFLQTEMDKFLSGEEYAQAEGYVPPEK-
Pputida             61 EDRKFLQAEMDKFFAGEEYAQAEGYVP----
Paeruginosa         61 EDRKFLQQEMDKFLSGEDYAKADGYVP----
Ngonorrhoeae        61 RAREYLAQQMEQYFFGDGADAVQGYVPQ---
NmeningitB          61 RAREYLAQQMEQYFFGDGADAVQGYVPQ---
NmeningitA          61 RAREYLAQQMEQYFFGDGADAVQGYVPQ---
Bmallei             61 RARQYLMKQTEKYFFGEGADQASGYVP----
Bpseudomallei       61 RARQYLMKQTEKYFFGEGADQASGYVP----
Tferrooxidans       61 KSRTFLEKQMEAYFFGDGAQSPEGYVP----
Mcapsulatus         61 SARKFLEQEREKFLFGGGTSTPQGYVP----
Cburneti            61 KARQFLEQEMINFLFGTGSEKPAGYTSE---
```

Fig. 1A (continued)



Fig. 2. Increased levels of YggX protein in *yggX** mutant. Western blot analysis was performed according to Harlow and Lane (59). Proteins were visualized by using alkaline phosphatase conjugated to anti-rabbit secondary antibody (Promega). Lanes A–C were loaded with crude cell-free extracts (1 μg protein) from strains DM5104, DM5105 (*yggX**), and DM5647 (*yggX*::Gm), respectively. Lane D was loaded with 1 ng purified YggX.



Fig. 3. The *yggX** mutation does not increase MNNG resistance of *gshA* mutants. Strain LT2 was grown in LB with (▲) and without (△) 60 μM MNNG. Both *gshA* (○) and *gshA yggX** (●) mutant strains were grown in LB with 60 μM MNNG.



Fig. 4. The *yggX** mutation increases resistance of *S. enterica* to PQ. (*A*) Growth of *gshA* (○) and *gshA yggX** (●) mutant strains in LB with 4 μM PQ. (*B*) Growth of LT2 (△) and *yggX** (▲) strains in LB with 40 μM PQ.



Fig. 5. yggX* does not require soxR to mediate resistance to PQ. Strains LT2 (◆), *soxR* (◇), and *soxR yggX** (▼) were grown in LB with 4.0 μM PQ.



Fig. 6. Model showing how YggX protects *S. enterica* from oxidative damage. The result of superoxide attack on [Fe-S] clusters is depicted. We hypothesize that YggX is able to block oxidative damage to labile clusters and thus prevent the normal downstream consequences of such oxidation.